

Object Relational Mapping

Java Persistence Layer


Ákos Horváth

István Ráth

Dániel Varró

Model Driven Software Development

Lecture 4



Introduction: Obj2Rel mapping


- Goal:
 - Persisted objects over RDBMS
 - Transparent handling of RDBMS from an OO programming language
- Input:
 - Class diagram
- Output:
 - Database schema
 - Query and manipulation operations are embedded into class methods
- Automated SQL code generation

Object Relational Mapping

Performance Optimization Tools

- Object caching
 - Decrease the number of direct RDBMS calls
- Connection pooling
 - Manage RDBMS connections for later usage
- Transaction handling
 - Definition of business level transactions
 - Hiding RDBMS level transaction (from programmers 😊)

Metamodel



Mapping Classes

■ General guidelines

- class \Rightarrow table (relation)
- attribute \Rightarrow column (attribute)
- (unique identifier) \Rightarrow primary key

class
id:String name:String minParticipant:int maxParticipant:int

Object (instance) \Rightarrow
row

Championship			
<u>id</u>	name	minP	maxP
hu1	NB1	6	18
de1	BL	10	22


Attributes of generalization

- Completeness
 - Is there a *person* who is not a *player* or an *organizer*?
 - Partial vs. complete coverage
- Disjunction
 - Can a person be a player and an organizer at the same time? (multiple inheritance)
 - disjoint vs. overlapping classes
- Multiple mappings

Generalization I.

- Vertical mapping
 - + No restrictions
- Steps of the Mapping
 - 1 class \Rightarrow 1 table
 - New column: supertype ID, which is a foreign key from the Supertype's ID


Generalization I. (cont.)



Generalization II.

- Horizontal mapping
 - Only for disjoint subclasses
 - Only for complete coverage
- Steps of the Mapping
 - 1 subclass \Rightarrow 1 table
 - All attributes from the superclass and the subclass within the table

Generalization II. (cont.)



Organizer				
<u>id</u>	name	passwd	phone	addr
02	Nagy	edcba	1223	Ó u. 22.


Player			
<u>id</u>	name	passwd	class
03	Szabó	abdce	M

- Simple add/remove operation
- Simple Querying using a Select

Generalization III/a.

- Filtered Mapping
 - Only for disjoint subclasses
 - suboptimal storage usage, in case of large number of attributes
- Steps of the Mapping
 - Common table: 1-1 column for the attributes of the super- and the subclasses
 - One additional for column for the type information

Generalization III/a. (cont.)




<u>id</u>	type	name	passwd	class	phone	addr
01	Person	Kiss	abcde	NULL	NULL	NULL
02	Player	Nagy	edcba	NULL	1223	Ó u. 22.
03	Organ.	Szabó	abdce	M	NULL	NULL

- Simple add/remove operation
- Simple Querying using a Select with type based filtering

Generalization III/b.


- Filtered Mapping
 - + For overlapping classes
 - suboptimal storage usage, in case of large number of attributes
- Steps of the Mapping
 - Common table: 1-1 column for the attributes of the super- and the subclasses
 - Boolean type columns for indicating instance of relation

Generalization III/b. (cont.)



- Simple add/remove operation
- Simple Querying using a Select with type based filtering

Association 1..n (1..1)




Organizer		
<u>per id</u>	phone	address
02	1223	Ó u. 22.
04	3549	Új u. 3.

Championship				
<u>org id</u>	<u>id</u>	name	minP	maxP
04	hu1	NB1	6	18
02	de1	BL	10	22

Additional
Column and
constraints

Association m..n



New table
and
constraints

Java Persistence API

ORM frameworks

- Many players
 - ActiveObjects
 - Inheritance and annotations
 - Torque
 - Codegeneration from XML configurations
 - **JPA**
 - Annotations and/or XML

Java Persistence API

- Part of EJB 3 specification
- Hides RDBMS specific parts
- Provides a transparent runtime API for managing Objects that are persisted in an RDBMS

JPA providers

- JPA is only an API specification
- Various implementations
 - Hibernate
 - OpenJPA
 - Toplink
 - **EclipseLink** (official specification implementation)

Usage of JPA

- Java classes (POJO) with annotations
 - Alternate: directly from XML
 - Overwrites annotations
 - Only for Experts (do not use)
- Basic building block: Entity = persisted class
- All jar that contains a `persistence.xml` in its META-INF folder is a persisted module
- `javax.persistence` package

Defining an Entity

- Java class with `@Entity` (`javax.persistence.Entity`) annotated with default constructor
- Usually serializable (`implements Serializable`)
- Mandatory primary key attribute: `@Id`
 - Different ID generalization strategy can be defined in the `strategy` parameter

Attributes of an Entity

- The persisted attributes can only be managed using getters/setters (JavaBean convention)
- Non persisted (transient) attributes: `@Transient`
- Types of attributes
 - Primitive types:
`String`, `BigInteger`, `BigDecimal`,
`java.util.Date`, `java.util.Calendar`,
`java.sql.Date`, `java.sql.Time`,
`java.sql.Timestamp`, `byte[]`, `Byte[]`, `char[]`,
`Character[]`
 - Enum
 - Other entity, collection of other entities
 - Inner class

Parameters of the Mapping

- **Default**
 - the name of the columns and tables are identical of the name of the attributes' and classes' names, respectively.
- `@Table (name="MyTable")`
 - `@SecondaryTable (s)` : can be separated into multiple tables
- `@Column (name="MyColumn")`
- **Other parameters for columns**
 - nullable
 - unique
 - length

Generalization

- Supported from EJB3.0
- Supported modes:
 - One table for one classhierarchy → filtered mapping
 - Separate tables for subclasses with references → vertical mapping
 - One table for one concrete entity → horizontal mapping

JPA - Generalization

■ Filtered mapping

- Discriminator column defines the type
- Requires nullable columns for subclass attributes
- On the top of the hierarchy:
 - `@Inheritance(strategy=InheritanceType.SINGLE_TABLE)`
 - `@DiscriminatorColumn(name=<columnname>)`
- On all other classes:
 - `@DiscriminatorValue(<value representing the type>)`

■ Vertical mapping

- `@Inheritance(strategy=InheritanceType.JOINED)`

■ Horizontal mapping

- Not part of the EJB3.0 specification

Other Generalization Modes

■ Supertype as a non-entity

- `@MappedSuperClass` : -attributes from the annotated class can be used in the subtypes. Will not have a dedicated table in the RDBMS, however, its attributes will be persisted.
- Non marked will not be persisted

■ Abstract Entity

- Cannot be instantiated, but can be mapped to a table
- Can be queried

Relations

- Based on multiplicity four different:
 - @OneToOne
 - @OneToMany
 - @ManyToOne
 - @ManyToMany
- Based on direction:
 - unidirectional
 - bidirectional (both entities will have getter/setter methods to manipulate the relation): `mappedBy` parameter
- Bidirectional OneToMany = Bidirectional ManyToOne
- A relation always has only one container entity

Example relation

- **Employee:**
`@ManyToOne`
`@JoinColumn(name="company_id")`
private Company company;
 - **Company:**
`@OneToMany(mappedBy="company_id")`
private Collection<Employee> employees;
 - + getters, setters
-
- Instead of the `@JoinColumn` the `@JoinTable` is used when a separate table is responsible for the relation (e.g., *ManyToMany*)
 - The `@ManyToOne` relation is required to be defined on the container side! (does not have a `mappedBy` parameter)

Cascade type of Relations

- What to do with related entities?
If you insert, update or delete an object, related objects are inserted?, updated? or deleted?
- Can be defined for any relations
`@OneToMany (cascade={`
`CascadeType.PERSIST, CascadeType.MERGE})`
- Possible values:
 - PERSIST
 - MERGE
 - REMOVE
 - REFRESH
 - ALL
- Default: no cascade, everything have to be persisted by hand

Fetch

- What to do with relating entities when we load an entity?
Load all entities on its relations?
- Can be defined for all four relations
e.g., @OneToMany(fetch=FetchType.LAZY)
- **LAZY** : will not be loaded only if they are explicitly referred
 - Does not consume memory but requires +1 select
- **EAGER** (default): load all entities on its relations
 - Faster but requires more memory
- Fine tuning options:
 - Set LAZY in general and only use EAGER when we know that we will use the entities from that particular relation.
Use fetch join in the EJB-QL query, e.g.,

```
SELECT c from Customer c LEFT JOIN FETCH c.orders
```


Problems with Lazy fetch

- In case of detached state only those objects will be present that were used before.
- If we merge an entity back after a detached state then all relations (their target objects) that were not fetched will be deleted from the RDBMS.
- The Lazy is just an advice. The persistence provider may switch to Eager.

Persistence context

- The set of entities handled by the persistence provider
- Identification with the name of the persistence unit
- Getting the Entity manager e.g.:

```
EntityManagerFactory factory =  
    Persistence.createEntityManagerFactory(  
        PERSISTENCE_UNIT_NAME); //parameter in the  
        persistence.xml
```

```
EntityManager entityManager =  
    factory.createEntityManager();
```

Entity Manager

- Responsible for handling the entities
- Responsible :
 - Life-cycle of the entities
 - Synchronization with the RDBMS
 - Querying the entities

Transaction handling

■ Properties:

- **Atomic**
- **Consistent**
- **Isolated**
- **Durable**


■ API call:

- `entityManager.getTransaction()` .
 - `begin()`
 - `commit()`
 - `rollback()`

Entity Life-cycle

- **new**: will be in this state when created using the *new* command, exists only in the memory. Will not be synchronized to the RDBMS.
- **managed**: the entity is present in the database and is part of a persistence context . Manipulations will be executed on the database side either at the end of the transaction or at an explicit flush() call.
- **detached**: the entity is present in the database but is **NOT** part of a persistence context.
Similar like a DTO (Data Transfer Object)
- **removed**: part of the persistence context, however it is marked for deletion from the database

Entity Life-cycle



Entity life-cycle callbacks

- Annotations for callback methods
 - `@PrePersist`
 - `@PostPersist`
 - `@PreRemove`
 - `@PostRemove`
 - `@PreUpdate`
 - `@PostUpdate`
 - `@PostLoad`
- Persistence provider will execute the callbacks
- Can be defined in separate class
 - Binding using the `@EntityListener`
 - Its methods receive the entity as their input parameter

Database synchronization

- In general executed in all commit calls
- Can be explicitly executed using the Entity Manager:
 - `flush(entity)`:
writes the manipulations to the RDBMS
 - `refresh(entity)`:
Reads the changes from the RDBMS

Queries

- Simple query based on the primary key:
`<T> T find(Class<T> entityClass, Object primaryKey)`
- Complex queries:
 - Java Persistence Query Language (JPQL, a.k.a. EJB-QL):
`public Query createQuery(String ejbqlString)`
 - Example query:
`SELECT DISTINCT OBJECT(p) FROM Player p WHERE
p.position = ?1 AND p.name = ?2`
 - SQL: `public Query createNativeQuery(String sqlString)`

Queries

- Safe parameter handling:
 - Based on name or index
 - `setParameter(String, Object)`
 - `setParameter(int, Object)`
- Getting the result:
 - `getSingleResult()`
 - `getResultList()`
- Manipulation
 - `executeUpdate()`
 - Can be executed in batch mode

Concurrency

■ Two opportunities

○ Optimistic

- Annotate an *int* or *TimeStamp* attribute with the `@Version` tag
- Persistence provider increments this value at all commits on the entity
- Throws *OptimisticLockException* if the value is higher in the RDBMS then the one in the memory.

○ Explicit locks

- `entityManager.lock(Object entity, LockMode)`
- LockMode: READ or WRITE
- Can only be called within a transaction!

JPA 2.0

JPA 2.0 Features

- Richer mappings
- Richer JPQL
- Pessimistic Locking
- Criteria API
- Cache API
- Many more

JPA 2.0: Richer Mapping

- Supports collection of basic types and embeddables
 - > In JPA 1.0, only collections of entities were supported
- Supports multiple levels of embeddables
- Embeddables containing collection of embeddables and basic types
- PrimaryKey can be derived entities
- More support for Maps...

JPA 2.0: Collection of Basic Types

```
@Entity
Public class Item {

    @ElementCollection
    private Set<String> tags;
}
```

*Mapped by default in
ITEM_TAGS*

```
@Entity
Public class Item {

    @ElementCollection
    @CollectionTable(name="TAGS")
    private Set<String> tags;
}
```

Mapped in TAGS

JPA 2.0: Richer JPQL

- Added entity type to support non-polymorphic queries
- Allow joins in subquery FROM clause
- Added new operators
 - > INDEX (for ordered lists)
 - > CASE (for case expressions)
 - > more
- Added new reserved words
 - > ABS, BOTH, CONCAT, ELSE, END, ESCAPE, LEADING, LENGTH, LOCATE, SET, SIZE, SQRT, SUBSTRING, TRAILING

Example: JPQL CASE Expression

```
@Entity public class Employee {  
    @Id Integer empId;  
    String name;  
    Float salary;  
    Integer rating;  
    // ...  
}
```

```
UPDATE Employee e  
SET e.salary =  
    CASE WHEN e.rating = 1 THEN e.salary * 1.05  
        WHEN e.rating = 2 THEN e.salary * 1.02  
        ELSE e.salary * 0.95  
    END
```

JPA 2.0: Locking Enhancements

- JPA 1.0 supports only optimist locking
- JPA 2.0 adds pessimistic locking
- Multiple places to specify lock
 - > read and lock
 - > read then lock
 - > read then lock and refresh

```
public enum LockModeType {  
    OPTIMISTIC,  
    OPTIMISTIC_FORCE_INCREMENT,  
    PESSIMISTIC,  
    PESSIMISTIC_FORCE_INCREMENT,  
    NONE  
}
```

JPA 2.0: Criteria API

- Strongly typed criteria API
- Object-based query definition objects
 - > rather than string-based
- Like JPQL
- Uses a metamodel – Compile time type checking using Generics
 - > Each entity X has a metamodel class X_
 - > Criteria API operates on the metamodel

JPA 2.0: Caching

- Supports the use of a second-level cache
- Cache API
 - > *contain(Class, PK)*
 - > *evict(Class, PK), evict(Class)*
 - > *evictAll()*
- *@Cacheable* annotation on entities

References

- Mike Calvo: JPA and Hibernate
 - <http://www.slideshare.net/adorepump/jpa-and-hibernate-presentation>
- Gordon Yorke: EclipseLink JPA
 - <http://www.slideshare.net/pelegri/eclipselink-jpa-presentation>
- Markus Eisele: New features of JSR-317
 - <http://www.slideshare.net/myfear/new-features-of-jsr-317-jpa-20>