

Process Modelling

Budapest University of Technology and Economics
Fault Tolerant Systems Research Group




Table of Contents

Overview



Role of Process Modelling



Process Models



Control Flow



Implementation

Table of contents

Overview



Role of Process Modelling



Process Models



Control Flow



Implementation

Structure and Behaviour Modelling

■ *Structural*

- Static
- Whole and part, components
- Connections

The main components of the robot vacuum cleaner are the control unit, the roller gear and the vacuum cleaner.

■ *Behavioural*


- Dynamic
- Timeliness
- State, Process
- Reaction to the environment (context)

For the command „to right” changes the roller gear its operational mode to „turn”.

- Modelling does not cover all aspects, aspects cannot be separated...

Main Questions of the Behavioural Models

- What the system „does“?



- What are the properties of the system now, and how is it changing?



Main Questions of the Behavioural Models

- State Based Approach
 - the system changes (its properties)
 - as a reaction to (external) events
 - input/output channels
- Process Based Approach
 - the system changes the *work item*
 - as a series of activities
 - data flow

Definition: Process

Process: series of steps that achieve purpose when executed in the right order

Table of Contents

Overview



Role of Process Modelling



Process Models



Control Flow



Implementation

Role of Process Modelling

- Specification
- Design
- Implementation
 - Executable models
 - Code generation
- Model verification
 - Simulation
 - Monitoring
 - Automated model checking
- Documentation

Example: How Does the Product Arrive?

Package 1

Product's predicted arrival to our store: **23.03.2016**


When the products are ready to pick up, we will send you a notification in text message and e-mail. You will be able to pick up the product immediately after you received the notification.

Please do not come to our store before receiving a notification. Thank you!


Ordered products in the package:

	Name of product	Prize
1 x	FISKARS Xsharp axe and knife sharpener 120740	3 590 HUF
1 x	FISKARS Twisted splitting wedge 120020	6 990 HUF
1 x	MOTOROLA TLKR T41 Walkie talkie, Orange	8 590 HUF
	Payment fee	490 HUF
	Package price: (including shipment fee and VAT)	19 660 HUF

Example: HW Delivery



Example: HW Delivery



Optional execution

Paired control elements

Decision points ("XOR")

Order of execution

"Parallel" (independent) execution ("AND")

What It's Based On


■ History

- Programs control structures
- Scheduling (eg. GANTT diagrams)
- Modelling manufacturing/office processes
- IDEF-0: 1980's, US AirForce
- Describing logistic processes
- System operator's/administrator's "runbook"

■ Common elements


- There are atomic steps
- Dependencies between them (time? data? order?)
- Decision points
- → general-purpose process modelling languages (eg. BPMN)

Example: IDEF-0



data dependencies and execution logic are not shown
logical dependencies are shown

Example: GANTT




State, timing and dependencies of activities

What It Uses

- Idea in system/software design:
 - Use existing elements
 - Describe how the complex system operates
- Basic elements can be many
 - webform validation, sending email, database operation, remote web service, human interaction, sending text message, drawing diagram, etc.

What is Derived from the Control Logic?


- Program code directly (C/C++, C#, Java, ...)
- Input of an executing environment
 - “Create this process for me”



Other Uses of Process Models

- Operating IT systems
 - ITIL, UK Gov. initiative
- Protocol specification
 - Cooperation between elements of a complex system
 - Roles of components
- Designing executable processes
 - Order evaluation, credit assessment preparation, ...
- Data processing/analysing processes

Example: Managing Health Data



<http://wiki.directproject.org/Abstract+Model+Examples>

Example: Agile Development, as a Process

Roles, products

Where am I | Tree Sets

Scrum Overview

- Scrum Overview
- Scrum Roles
 - Product Owner
 - ScrumMaster
 - Scrum Team
- Scrum Work Products
- Scrum Activities
- Scrum Guidance

Scrum Roles > Scrum Team
Role: Scrum Team

The Scrum Team builds the product that the customer is going to consume: the software or website, for example. The team in Scrum is "cross-functional" - it includes all the expertise necessary to deliver the potentially shippable product each Sprint - and it is "self-organizing", with a very high degree of autonomy and accountability.

Role Sets: Scrum Roles

Steps of teamwork




<http://www.eclipse.org/epf/>

Examples

- Modelling banking processes
 - What activities are executed closing time?
 - Could the bank switch to transferring multiple times a day?
- Modelling manufacturing process
 - Optimal production scheduling: convert or fabricate?
 - What happens in the factory?
 - (see the lecture on Simulation)
- Modelling business transactions
 - Where are recurring communication patterns?
 - Model based data processing

Example: Data Processing

Steps: reading, data filtering,
graph generation, ...



States of steps can be tracked:
is the result produced?

Basic concepts of designing processes

- Process description languages
 - BPMN, jPDL, XPDL, BPEL, UML AD, ...
- Process model
 - Control, dataflow
 - Data structures can be linked to a process model
 - Definition of steps to execute
 - Timings, resources
- Process (template) vs. process instance
 - E.g. „Booking tickets” as a process
 - „László Gönczy books a ticket to Lisbon” is an instance

Table of contents

Overview



Role of Process Modeling



Process Models



Control Flow



Implementation

Elementary Activity (Task)

Compile

Execution starts

Execution ends

Compile

t



Definition: Elementary Activity

An **elementary activity** is an activity that

- has a positive temporal duration
- is *not* modelled beyond its start and end.


Compile

Sequence, Control Flow




Definition: Sequence

Sequence defines the order of execution of activities.




Guard Condition, Branches



- Semantics:
 - Only one branch is executed
 - Possibility of nondeterminism
 - Overlapping guard conditions
 - Or simply no guard conditions

Definition: Control Element

A **control element** is a junction of the process choosing one or more activities to execute.




Definition: Decision-Merge

Decision-Merge is a control structure

- consisting of a **Decision** and a **Merge** control element, where
 - the decision node has at least two **outputs** from which we choose where to put the control token by evaluating the **guard conditions**,
 - the chosen output (branch) can contain an arbitrary number of elements, and
 - each branch leads to the merge node.
-
- Here we use branch as an exclusive or (XOR gate), which means that as a result of an evaluation only one of the decision branch is chosen.
 - A branch can be multiple or binary, in the course we use binary decisions (two outputs).

Loop




Definition: Loop



A **loop** is a control structure that defines multiple execution. The loop

- consists of a **Merge** and a **Decision** element, where
- one of the branches of the decision node leads back to the merge node.



- *Note:* this corresponds to a **repeat - until** loop





Fork / Join





Fork / Join




Fork / Join



Fork / Join



Fork / Join



- Semantics:
 - Execution sequence is not specified
 - Parallel/ overlapped execution is possible
- See: Computer architectures course

Definition: Parallel Execution

Parallel execution (Fork-Join)

- contains a **Fork** and a **Join** control element, where
- the fork can have an arbitrary number of outputs (branches).
- branches can be executed **concurrently**,
- all branches lead to the join node, and
- parallel execution ends, when all branches terminate.

Two activities are **concurrent** if the order of their execution is not controlled.

- Note: we are going to work with two parallel branches.
- **NOT equivalent to Decision-Merge!**

Flow Begin / Flow End





Definition: Flow Begin/End

Process starts with a Flow Begin control element and ends with a Flow End element.

- The **begin node** is the first node of the process, with exactly one output.
 - The **end node** is the last node of the process with exactly one input.
-
- Note: we do not model what causes the process to start

Hierarchy





Definition: Hierarchy

Hierarchical process model:

- Instead of an atomic activity it can contain a submodel described by a process model (hierarchical refinement).


References / Calls



References / Calls



Elementary task?
Actually a subprocess!




Can be embedded into the main process if the refinement is valid:

- The steps combined produce the same thing as the process
- No unhandled case on caller level
(Input/output consistency)


Well Structured Process

- Building from control blocks
 - **One entry point, one exit**
 - Sequence, decision-merge and fork-join blocks, loop, elementary activity, (empty control section)
- Analogy: structured programming
 - Control structures instead of **goto**
- Example of a non-well-structured process



Well Structured Process

- Some formalisms enforce it
 - eg. BPEL (business process over web services)
 - eg. Structogram (Nassi-Shneiderman)
 - programming languages without goto, break, etc.




Example: Coffee Making Process


- LEFT SIDE BREWING**
1. Fill LEFT reservoir with COLD water
 2. Place cup or mug on LEFT side of unit base
 3. Place pod in LEFT side of brew basket
 4. Plug in unit and press LEFT SIDE START / STOP
- Follow both LEFT and RIGHT instructions to make two cups at a time

Example: Coffee Making Process


- LEFT SIDE BREWING**
1. Fill LEFT reservoir with COLD water
 2. Place cup or mug on LEFT side of unit base
 3. Place pod in LEFT side of brew basket
 4. Plug in unit and press LEFT SIDE START / STOP
- Follow both LEFT and RIGHT instructions to make two cups at a time



Example: Coffee Making Process




Example: Coffee Making Process




Comparison


■ State machine




■ Process




Example: Coffee Making Process




Example: Coffee Making Process




Example: Coffee Making Process




Example: Coffee Making Process




Example: Coffee Making Process




Example: Coffee Making Process




Example: Coffee Making Process



Making coffee




Modeling based on different aspects





What happens to a car?




What happens on the production line?



Modeling based on different aspects




Joint View



- Includes everything but not very practical

Joint View



- Includes everything but not very practical

Joint View

- 2D fork-join net isn't very practical
 - Different processes for different aspects (car's and machine's lifetime)
- Multiple fork-join pairs in a compact way?
→ PERT chart
 - Program Evaluation and Review Technique
 - For analyzing execution time
 - (No branching here)




Table of contents

Overview



Role of the Process Modeling



Process Models




Control Process



Implementations

Flowchart




<http://xkcd.com/518/>


Flowchart

- Flowchart / decision diagram
 - Describes a train of thought for decision making
 - Leads to a conclusion
 - No temporal sequence
- Special case: decision tree

Describing decision points and their order is difficult for real problems



Example: Erroneous Decision Process




- Inconsistent decision points
- Non mutually exclusive alternatives
- Decision branches don't cover all the possibilities..

(Monty Python, picture: graphjam.com)


Control Flow

<statement1>
<statement2>




Control Flow

if (*<expression>*)
<statement>




Control Flow

```
if (<expression>)  
    <statement1>  
else  
    <statement2>
```



Control Flow

while (*<expression>*)
<statement>




Control Flow

do

<statement>


while (*<expression>*)




Control Flow - Example

```
while ( $a \neq b$ ) {  
    if ( $a > b$ ) {  
         $a = a - b$ ;  
    } else {  
         $b = b - a$ ;  
    }  
}  
return  $a$ ;
```


Control Flow - Example




Control Flow - Example




Control Flow - Example



Control Flow - Example



Control Flow - Complexity



Control Flow - Recursion


```
int fact(int n) {  
    return  
        (n == 0) ? 1 : n * fact(n - 1);  
}
```

Control Flow - Recursion

```
int fact(int n) {  
    int tmp1;  
    if (n == 0) {  
        tmp1 = 1;  
    } else {  
        int tmp2 = fact(n - 1);  
        tmp1 = n * tmp2;  
    }  
    return tmp1;  
}
```

Control Flow - Recursion

fact(*n*)




Example: n choose k

```
int choose(int n, int k) {  
    if (k < 0 || k > n) {  
        return 0;  
    } else if (k == 0 && n == 0) {  
        return 1;  
    } else {  
        int x = spawn choose(n - 1, k);  
        int y = spawn choose(n - 1, k - 1);  
        sync;  
        return x + y;  
    }  
}
```

$$\binom{0}{0} = 1$$

$$\binom{n}{k} = \binom{n-1}{k} + \binom{n-1}{k-1}$$


Example: n choose k




EXECUTION OF BUSINESS PROCESSES

The Semantics of Processes

- The modelling perspective




- The intended execution




Process Execution

- Token flow





- The states of the process


State Machine





States of an Elementary Activity



States of an Elementary Activity




States of a Process



Background: Mathematical Model

- Allen's interval algebra (1983)
 - Used among others at testing, 13 (6 + 1 + 6) cases




James F. Allen: *Maintaining knowledge about temporal intervals.*

In: *Communications of the ACM.* 26 November 1983. ACM Press. pp. 832–843, ISSN 0001-0782

Háttér: matematikai modell

- Allen's interval algebra (1983)

- Used among other methods for testing, 13 (6 + 1 + 6) cases



James F. Allen: *Maintaining knowledge about temporal intervals.*

In: *Communications of the ACM.* 26 November 1983. ACM Press. pp. 832–843, ISSN 0001-0782

What Can Be Checked?

- The execution is not based on the given process
 - Satisfaction of assumptions (order, independence)?
- What is the „process” behind system/execution?
 - Workflow mining
- If e.g. the execution environment is permissive
 - Steps can be skipped,
 - Are the requirements still satisfied?
- Tooling: formal methods
 - (Temporal)Logics, Petri nets, model checking, etc.