



Modeling Textual Requirements

Systems Engineering BSc Course



Platform-based systems design



Learning Objectives

Requirements

- Understand the role and major challenges of requirements engineering in systems design
- Write precise textual requirements
- Understand requirements written by others
- Capture requirements using the SysML language
- Understand the goal of traceability
- Identify relations between requirements

Use cases (System Functions)

- Understand the concepts of actors and use cases
- Capture system functions in use case diagrams
- Identify relations between actors and use cases

Why are Requirements Needed?

Project Kick-off

- **Business Case:** Why the project is needed?
 - Revenue? Units to be Sold?
- **Constraints and Rationale:**
 - Time: deadlines, iteration cycles
 - Budget & Costs: HW, unit cost, development
- **Glossary / Terms:**
 - Identify existing documents, standards
 - Identify experts: who knows what?
 - Prepare inventory
- **Teams**
- **Context (see: use case diagrams)**
- **Requirements**

Teams

■ *Customer team*

- Product manager
- Systems engineers
- Business analyst
- Acceptance testing
- Customer service, End user
- Role:
 - We want this (one voice!)

■ *Stakeholders:*

- Anyone interested in the project
- Regulation bodies
- Competitors
- Other managers / divisions ...

■ *Development team*

- Systems engineers
- Software engineers
- Hardware/computer engineers
- Mechanical, etc.
- Role:
 - Implement features upon customer demand
 - Give advise on feasibility

■ *Expert*

- Knows technical details of how something works
- Expensive and busy

Types of Communication

	How many people?	Direction?	Style?
Email	Multiple	Unidirectional	Asynchronous
Phone call	Two	Full duplex	Synchronous
Instant messaging	Two/Multiple	Nearly full duplex	Asynchronous
Group chat	Multiple	At will	Asynchronous
Web meeting	Multiple	Full multiplex	Synchronous (Scheduled)
Shared screen	Few	Full duplex	Synchronous
Whiteboard	Multiple	At will	Asynchronous

Face-to-face meeting is most effective, but:

- large overhead and effort: takes everyone's time
- geographical distribution
- long product life-cycle: people no longer there

In your homework:

- Joint team meetings (during course slot)
- Basecamp + Slack
- Magic Draw team server
- Skype, telephone, etc.

What is a Requirement?

Definition, types, traceability

Definition of a Requirement

■ Definitions


- A condition or capability a system must conform to (IBM Rational)
- A statement of the functions required of the system (Mentor Graphics)

■ Each requirements needs to be

- **Identifiable + Unique:** unique IDs
- **Consistent:** no contradiction
- **Unambiguous:** one interpretation
- **Verifiable:** e.g. testable to decide if met

■ Captured with special statements and vocabulary

The Certification Perspective: High-level vs Low-Level



Concepts from DO-178C standard

- High-level Requirements (HLR):
 - customer-oriented
 - black-box view of the software,
 - captured in a natural language (e.g. using shall statements)
- Derived Requirements (DR)
 - Capture design decisions
 - *Derive from* customer reqs
- Low-level Requirements (LLR):
 - SC can be implemented without further information
- Software Architecture (SA)
 - Interfaces, information flow of SW components
- Source Code (SC)
- Executable Object Code (EOC)

Functional vs Extra-functional

Functional

- Core technical goal

The train shall close its doors upon remote request by the operator

Extra-functional

- Performance
- Dependability
- Safety
- Security
- ...

The closing of doors should take no more than 4 sec

The mechanism operating the doors shall endure 5 years of continuous use without maintenance

The door must never hurt a passenger when closing

A secure cover shall protect the mechanism against vandalism

Functional vs Extra-functional

- Typical scope (not always true)
 - Functional req.: specific to a given component
 - Extra-functional: fulfilled by the system as a whole
- **Derivation** possible across different kinds
 - Customer HLR safety:
„The door must never hurt a passenger when closing”
→
 - Derived HLR functional:
„The door must be able to detect obstruction”

Functional vs Extra-functional

- Typical scope **(not always true)**
 - Functional req: specific to a given component
 - Extra-functional: fulfilled by the system as a whole
- **Derivation** possible across different kinds
 - Customer HLR safety:
„The door must never hurt a passenger when closing”
→
 - Derived HLR functional:
„The door must be able to detect obstruction”

How to Write Requirement?

Good practices and antipatterns

Good practices for writing textual requirements

- A textual requirement contains
 - a short description(stand-alone sentence / paragraph)
 - of the problem and not the solution
- English phrasing:
 - Pattern: **Subject Auxiliary Verb Object Conditions**
 - Example:
The **railway operator** **shall** **create** **a direct route**
between any two points on the track
 - Be precise! (Quantitative is better than qualitative)
 - Avoid passive sentences
- Use of auxiliaries:
 - Positive: shall/must > should > may
 - Negative: must not > may not
 - They specify priorities!

Examples

Functional:

- The operator shall be able to change the direction of turnouts
- Train equipments shall periodically log sensor data with a timestamp

Safety:

- The system shall ensure safe traffic within a zone
- The system shall stop two trains if they are closer than a minimal distance
- No single faults shall result in system failure

Performance:

- The system should allow five trains per every 10 minutes

Dependability:

- The allowed downtime of the system should be less than 1 hour per year
- The system shall continue normal operation within 10 minutes after a failure

Supportability:

- The system shall allow remote access for maintenance

Security:

- The system shall provide remote access only to authorized personnel

Usability:

- The user interface should contain only 3 alerts at a time

Anti-patterns

1. The system should be safe
2. The system shall use Fast Fourier Transformation to calculate signal value.
3. The system shall continue normal operation soon after a failure.
4. Sensor data shall be logged by a timestamp
5. Unauthorized personnel could not access the system

Too general / high-level

**Describes a solution
(and not only the problem)**

**Imprecise
(how to verify „soon“?)**

Passive should be avoided!

Use specific auxiliaries!



**How to identify missing or
inconsistent requirements?**

Modeling Requirements in SysML

SysML overview, Requirements Diagram

Roots & Relations

- Document based system development
 - Formulated requirements textually (e.g. in Word)
 - Handled by Req. management tools (e.g. DOORS)
 - Challenge: complexity



SysML overview (System Modeling Language)

- „UML for Systems Engineering”
 - Supports the specification, analysis, design, verification and validation of systems that include hardware, software, data, personnel, procedures, and facilities
- Developed by OMG and INCOSE (International Council on Systems Engineering)
- OMG SysML™ (<http://www.omgsysml.org>)
 - RFP – March 2003
 - Version 1.0 – September 2007
 - Version 1.1 – November 2008
 - Version 1.2 – June 2010
 - Version 1.3 – June 2012
 - Version 1.4 – September 2015
 - Version 1.5 – May 2017

SysML good to know

- SysML is for interdisciplinary systems
- Examples for systems:
 - Railway, Automobile, Spacecraft, Factory, etc.
 - Thirty Meter Telescope is designed with SysML (tmt.org)
- SysML is only a language, how it is used is another question – model only what is important
- Methodologies (recommendations, best practices)
 - SYSMOD
 - [NASA System Engineering Handbook](#)
 - OOSEM (Object-Oriented Systems Engineering Method)
 - [ESEM](#) (Executable System Engineering Method)

Recommended materials

■ Books

○ Tim Weilkiens:

- SYSMOD – The System Modeling Toolbox
- Systems Engineering with SysML/UML (older version)

○ Sanford Friedenthal, Alan Moore, Rick Steiner: A Practical Guide to SysML


- More precise with the syntax, good examples, practices

■ Web pages



○ <http://www.uml-diagrams.org/>

- Good references to notations, but **only UML**

Relationship Between SysML and UML




Requirements Diagram




Main Goal of Requirements Diagram

What are the main textual requirements?

What is their hierarchy?




SysML Example – Requirements



The Concept of Traceability

- Traceability is a core **certification concept**
 - For safety-critical systems
 - See safety standards (DO-178C, ISO 26262, EN 50126)
- **Forward traceability:**
 - From each requirement to the corresponding lines of source code (and object code)
 - Show responsibility


Where to check whether req. is satisfied?



The Concept of Traceability

- Traceability is a core **certification concept**
 - For safety-critical systems
 - See safety standards (DO-178C, ISO 26262, EN 50126)
- **Forward traceability:**
 - From each requirement to the corresponding lines of source code (and object code)
 - Show responsibility
- **Backward traceability:**
 - From any lines of source code to one or more corresponding requirements
 - No extra functionality

Which reqs to watch when modifying this part?



The Concept of Traceability

- Traceability is a core **certification concept**
 - For safety-critical systems
 - See safety standards (DO-178C, ISO 26262, EN 50126)

- **Forward traceability:**
 - From each requirement to the corresponding lines of source code (and object code)

- Show responsibility
- **Backward traceability:**
 - From any lines of source code to one or more corresponding requirements
 - No extra functionality

Even if not end-to-end!

- REQ \leftrightarrow Design
- Design \leftrightarrow Code
- Etc.

R2.1

R3.2



```
static VALUE  
rb_ary_push_1(VALUE ary, VALUE item)  
{  
    long idx = RARRAY_LEN(ary);  
  
    if (idx >= ARY_CAPA(ary)) {  
        ary_double_capa(ary, idx);  
    }  
    RARRAY_PTR(ary)[idx] = item;  
    ARY_SET_LEN(ary, idx + 1);  
    return ary;  
}
```

ing this part?


Relations between Requirements

- **Trace**
 - General trace relationship
 - Between requirement and any other model element
- **Refine**
 - Depicts a model element that clarifies a requirement
 - Typically a use case or a behavior
- **Derive**
 - A requirement is derived from another requirement by analysis or decision
 - Typically at the next level of the system hierarchy
- **Copy**
 - Supports reuse by copying requirements to other namespaces
 - Master-slave relation between requirements
- **Satisfy**
 - Depicts a design or implementation model element that satisfies the requirement
- **Verify**
 - Used to depict a test case that is used to verify a requirement

Examples of Relations between Requirements



Traceability of Requirements in SysML Models



Requirements Relations in Table

#	Id	Name	Text	Traced To
24	P1	<input type="checkbox"/> Cost efficiency	The <u>system</u> shall choose one of the cheapest ways of delivering the cargo to the destination in a safe way.	<input type="checkbox"/> SAFE_1 Safe traffic
25	P2	<input type="checkbox"/> Swift delivery	The delivery of the cargo shall be as fast as the safe operation of the railway allows and the route is economical.	<input type="checkbox"/> P1 Cost efficiency <input type="checkbox"/> R2 High availability
26	R2.1	<input type="checkbox"/> Low downtime	Allowed downtime of the <u>system</u> is one hour per year.	
27	R2.2	<input type="checkbox"/> Fast recovery	The <u>system</u> should continue normal operation within hours after a failure. (MTTR = 8h)	
28	R2	<input type="checkbox"/> High availability	The transportation <u>system</u> shall provide its services	
29	S1.1	<input type="checkbox"/>	The <u>system</u> shall provide remote access to the staff members.	
30	S1.2.1	<input type="checkbox"/>	Personnel only with extra authority may access the <u>system</u> .	
31	S1.2	<input type="checkbox"/> Secure access	Maintenance staff should access the <u>system</u> securely.	
32	S1	<input type="checkbox"/> Maintainability	There shall be access points for the <u>system</u> for maintenance and update.	
33	SAFE_1.	<input type="checkbox"/> Safety within a <u>zone</u>	The <u>infrastructure</u> shall ensure safe traffic within a <u>zone</u> .	



Traceability links

Hierarchical numbering

Modeling System Functions with Use Cases

Use Case Diagrams, System Context, Actors

Use Case Diagrams




System Context

Who will use the system?


- Context diagram
 - System
 - Its boundaries
 - External entities
 - Incoming / outgoing
 - Information (data) flow
 - Control flow

■ What form?

- Whiteboard drawing
- SysML blokkdiagram (context diagram)
- BDD or IBD




SysML notation: Actors and External systems



Use cases

Who will use the system and for what?



Definition of Use Cases

- **Use case (használati eset)** captures a main functionality of the system corresponding to a functional requirement
- UCs describe
 - the typical interactions
 - between the *users* of a *system* and
 - **the system itself**,
 - by providing a narrative of how a system is used
- A set of scenarios tied together by a common user goal
- Language template: **Verb + Noun (Unique)!**
 - Example: **Drive train**, **Switch turnout**

M. Fowler: UML Distilled.
3rd Edition. Addison-Wesley


Use Case Descriptions

- Additional textual description to detail use cases
 - **Preconditions**: must hold for the use case to begin
 - **Postconditions**: must hold once the use case has completed
 - **Primary flow**: the most frequent scenario(s) of the use case (aka. main success scenario)
 - **Alternate flow**: less frequent (or not successful)
 - **Exception flow**: not in support of the goals of the primary flow
- Elaborated behavior in SysML (discussed later)
 - Activity diagrams: scenarios with complex control logic
 - Interaction diagrams: for message based scenarios

Definition of Actors

- **Actor (aktor, szereplő)** is a role that a user plays with respect to the system.
 - *Primary actor*: invokes the system to deliver a service
 - *Secondary actor*: the system communicates with them while carrying out the service
- An actor is outside the boundary of the system
- *Characteristics*:
 - One person may act as more than one actor
 - Example: The farmer may also act as a laborer who performs the spraying
 - Can be an external subsystem (and not a person)

Relations between Actors and Use cases



Association:


- primary actor initiates or
- secondary actor participates in interaction
- (rarely between 2 actors)

Relations between Two Actors

uc [Package] Stakeholders [Stakeholders]

Actor Generalization:

- any subactor can perform use case
- access control (groups)




How to handle complex functionality?

Transport cargo

Transport cargo =


- Operate turnouts
- Drive train

Refinement with include relation



The included UC breaks down the complex core functionality into more elementary steps


Generalization of UCs



What happens if

- the selected route of transportation is blocked?

Extend relationship



The extension UC
Extends core
functionality by
handling unusual
(*exceptional*) situation

Overview of UC Relations

Association

- Actor – use case (rarely: actor – actor)
- an actor initiates (or participates in) the use of the system

Generalization

- actor – actor OR use case – use case
- a UC (or actor) is more general than another UC or actor


Includes

- use case – use case
- a complex step is divided into elementary steps
- a functionality is used in multiple UCs

Extend

- use case – use case
- a UC may be extended by another UC
- typically solutions for exceptional situations

Traceability of Use Cases in SysML Models



Good practices of UC analysis

Good practice: Grouping

■ Grouping UCs

- Identify functional building blocks
- Group them into packages
- NOTE: related by functionality, NOT by role



■ Grouping actors:

- Dedicated (top-level) „Actors” package OR
- Keep actors in a package within the subsystem they exclusively belong to

Good practice: Naming and arrangement

■ Actors

- Name actors according to their roles and avoid using job titles
- Divide complex roles into multiple actors
- Start the diagram by placing the most important actor in the top left corner

■ Use Cases

- Use domain specific verbs for UCs
- Avoid technical descriptions – UCs are frequently for non-technical reader

Main guideline:
UC diagrams
should be *SIMPLE*

■ Relationships

- Avoid crossing or curved lines when drawing relations
- Use <<extend>> and <<include>> relations „lightly”
- Place them into the appropriate functional block

Summary

Definition of a Requirement

- **Definitions**
 - A condition or capability a system must conform to (IBM Rational)
 - A statement of the functions required of the system (Mentor Graphics)
- Each requirements needs to be
 - **Identifiable + Unique:** unique IDs
 - **Consistent:** no contradiction
 - **Unambiguous:** one interpretation
 - **Verifiable:** e.g. testable to decide if met
- Captured with special statements and vocabulary

Definition of Use Cases

- **Use case (használati eset)** captures a main functionality of the system corresponding to a functional requirements
- UCs describe
 - the typical interactions
 - between the *users* of a *system* and
 - **the system itself,**
 - by providing a narrative of how a system is used
- A set of scenarios tied together by a common user goal
- Language template: **Verb + Noun (Unique)!**
 - Example: Drive train, Switch turnout

M. Fowler: UML Distilled.
3rd Edition. Addison-Wesley

The Concept of Traceability

- Traceability is a core **certification concept**


- For safety-critical systems
- See safety standards (DO-178C, ISO 26262, EN 50126)

- **Forward traceability:**

- From each requirement to the corresponding lines of source code (and object code)
- Show responsibility

- **Backward traceability:**

- From any lines of source code to one ore more corresponding requirements
- No extra functionality



Definition of Actors

- **Actor (aktor, szereplő)** is a **role** that a user plays with respect to the system.
 - *Primary actor:* invokes the system to deliver a service
 - *Secondary actor:* the system communicates with them while carrying out the service
- An actor is outside the boundary of the system
- **Characteristics:**
 - One person may act as more than one actor
 - Example: The farmer may also act as a laborer who performs the spraying
 - Can be an external subsystem (and not a person)